


IRRIGATION SOLUTIONS

SSJH Protected Farming Proprietary Limited

Consulting, Design, Installation & Turnkey Services for Greenhouse / Irrigation and Protected Farming Solutions




www.ssjhprotected.com



Typical Irrigation Layout

We provide comprehensive irrigation services for both greenhouse and open-field farming. Our services are fully customized to suit different crops, soil types, and climatic conditions, ensuring efficient water management and optimal plant growth across all cultivation methods.





Head Unit (Gravel Filter and Disc Filter)

Drip Irrigation System

Drip irrigation is a root-zone watering system that delivers water and nutrients directly to the plant base, ensuring consistent moisture levels, minimizing wastage, and supporting healthy, efficient crop growth in both greenhouses and open fields.



Inline Drip Irrigation



Online Drip Irrigation

Technical specifications

- Lateral Size (mm) 12.00, 16.00, 20.00
- Flow Rate (lph) 1,2,4 and 8
- Dripper Spacing (cm) 30, 40, 50 and 60
- Lateral Thickness (mil) 0.40 to 1.40
- Lateral Type Round / Flat
- Dripper Type : Online / Inline
- **Dripper Pressure Type**: NPC, PC, PCND
- Pressure (Working) 0.8 to 3.5 Kg/Cm2










Fogging / Misting System

A fine mist-based cooling system that precisely regulates humidity and temperature, ensuring optimal plant growth in greenhouses by preventing heat stress.



Technical specifications

- Average droplet size 70 microns
- Flow Rate (lph) 5.40 to 42.00
- Configurations single, two and four outlet
- Operating pressure range 3.5 5.0 bar
- Pressure (for flow rate calculation) 3.5 bar

Low-Cost Drip Irrigation Kit

A budget-friendly irrigation solution for small greenhouse kit, home gardens, and low-resource areas, ensuring water efficiency at an affordable price.



Technical specifications

- Screen Filter 120 Mesh
- Venturi 3/4"
- Inline Lateral 16 mm x 1.2 LPH x 30 cm
- PVC 50.00 mm 6 KG
- Other PVC fttings and instllation kit included





Sprinkler System

A versatile and cost-effective irrigation method that efficiently distributes water evenly over a large cultivated area for optimal crop health.




Technical specifications

- Average droplet size 70 microns
- Flow Rate (lph) 30 to 200.00
- Configurations Various Spinner
- Operating pressure range 1.5 3.5 bar
- Pressure (for flow rate calculation) 2.00 bar

Rain Gun

A powerful and reliable irrigation tool, rain gun sprays water evenly over expansive fields, promoting balanced soil hydration and robust plant development.



Technical specifications

• Flow Rate (lpm) - 200 to 550

• Trajectory angle: 27 degrees

Recommended Pressure: 30-70 Psi

• Radius: 36 mtr. (approx)

• Coverage Area: 1.25 acre (approx)







Sand / Gravel Filter

Technical specifications

- Nominal Flow Range (m³/hr) 20.00 to 50.00
- Outlet Size (Inch) 2.00" to 3.00"
- Max Recommended pressure: 10 bars
- Back wash assembly Yes



Hydrocyclone Filter

Technical specifications

- Nominal Flow Range (m³/hr) 25.00 to 50.00
- Outlet Size (Inch) 2.00" to 3.00"
- Max Recommended pressure: 10 bars
- Manual cleaning Yes



Disc Filter

Technical specifications

- Nominal Flow Range (m³/hr) 25.00 to 50.00
- Disc 130 Microne
- Outlet Size (Inch) 2.00" to 3.00"
- Manual cleaning Yes



Screen Filter

Technical specifications

- Nominal Flow Range (m³/hr) 25.00 to 50.00
- Screen 120 to 200 mesh
- Outlet Size (Inch) 2.00" to 3.00"
- Manual cleaning Yes



Rubber Gromate



Take off/ Start Connector



Joinner/ Couplar



End Cap/ Clamp



Lateral Elbow



Lateral Tee



Lateral Valve



Air Release Valve



Butterfly Valves



Single Union Valves



PVC Flange Valve



PVC Ball Valve



Flush Valves



Hydraulic Valves



Pressure Regulating Valves



Non-Return Valves



Header assembly



Pressure Gauge



Venturi



PVC Pipes & Fittings



HDPE Pipes & Fittings



Rain Pipes



Inline Lateral Pipes



Plan Lateral



Micro tubes



Online Dripper



Dripper Stack



Two Way Adaptor



Four Way Adaptor



Four Way Fogger



Mist Sprayer



Micro Sprinklers



Mini = **Sprinklers**



SSJH Protected Farming Proprietary Limited



Address - PO Box 47007,

Gaborone, Botswana

Mobile - +267 74 435 241

+91 99749 17414

Website - www.ssjhprotected.com

E-mail - info@ssjhprotected.com



Connect on WhatsApp

Consulting, Design, Installation & Turnkey Services for Greenhouse / Irrigation and Protected Farming Solutions